

Literatur

- 1 _ Alberga JM, Stellingsma K, Meijer HJA, Oostenbrink HA, Vissink A, Raghoobar GM: Dental implant placement in alveolar cleft patients: a retrospective comparative study on clinical and aesthetic outcomes. *Int J Oral Maxillofac Surg* 2020; 49: 952–959. doi: 10.1016/j.ijom.2020.02.007
- 2 _ Canan LW Jr., da Silva Freitas R, Alonso N, Tanikawa DY, Rocha DL, Coelho JC: Human bone morphogenetic protein-2 use for maxillary reconstruction in cleft lip and palate patients. *J Craniofac Surg* 2012; 23: 1627–1633. doi: 10.1097/SCS.0b013e31825c75ba
- 3 _ De Riu G, Meloni SM, Raho MT, Gobbi R, Tullio A: Delayed iliac abscess as an unusual complication of an iliac bone graft in an orthognathic case. *Int J Oral Maxillofac Surg* 2008; 37: 1156–1158
- 4 _ Dempf R, Teltzrow T, Kramer FJ, Hausamen JE: Alveolar bone grafting in patients with complete clefts: a comparative study between secondary and tertiary bone grafting. *Cleft Palate Craniofac J* 2002; 39: 18–25. doi: 10.1597/1545-1569_2002_039_0018_abgipw_2.0.co_2
- 5 _ Freitas JA, Almeida AL, Soares S et al.: Rehabilitative treatment of cleft lip and palate: experience of the Hospital for Rehabilitation of Craniofacial Anomalies/USP (HRAC/USP) – Part 4: oral rehabilitation. *J Appl Oral Sci* 2013; 21: 284–292. doi:10.1590/1679-775720130127
- 6 _ Hartel J, Pogl C, Henkel KO, Gundlach KK: Dental implants in alveolar cleft patients: a retrospective study. *J Craniomaxillofac Surg* 1999; 27: 354–357. doi: 10.1054/jcms.2000.0096
- 7 _ Hoffmann O, Zafiroopoulos GG: Tooth-implant connection: a review. *J Oral Implantol* 2012; 38: 194–200. doi: 10.1563/AAID-JOID-10-00071
- 8 _ Reisberg DJ: Dental and prosthodontic care for patients with cleft or craniofacial conditions. *Cleft Palate Craniofac J* 2000; 37: 534–537. doi:10.1597/1545-1569_2000_037_0534_dapcfp_2.0.co_2
- 9 _ Seifeldin SA: Is alveolar cleft reconstruction still controversial? (Review of literature). *Saudi Dent J* 2016; 28: 3–11. doi: 10.1016/j.sdentj.2015.01.006
- 10 _ Terheyden H, Müller A, Dunsche A, Härle F: Comparison of secondary and tertiary cleft jaw osteoplasty. 20 year analysis. *Mund Kiefer Gesichtschir* 2002; 6: 134–139. doi:10.1007/s10006-002-0375-6
- 11 _ Waite PD, Waite DE: Bone grafting for the alveolar cleft defect. *Semin Orthod* 1996; 2: 192–196. doi: 10.1016/s1073-8746(96)80014-4

I DGI NACHRICHTEN I

Gesucht: Corona-Praxis-Tipps

Mit welchen individuell angepassten Maßnahmen schützen DGI-Mitglieder ihr Team, ihre Patienten und sich selbst in ihrer Praxis?

Das epidemiologische Geschehen ist eindeutig: Die Corona-Pandemie ist noch nicht vorbei. Viele Länder kämpfen nach wie vor mit hohen oder wieder steigenden Infektionszahlen, Lockerungen werden wieder zurückgenommen, Reisewarnungen ausgesprochen. SARS-CoV2 verschwindet nicht, sondern wird so lange bleiben, bis wirksame Impfstoffe und Therapien zur Verfügung stehen – wenn alles gut läuft.

Für Zahnärztinnen und Zahnärzte ist die Beachtung strenger Hygiene-Richtlinien eine Selbstverständlichkeit und tägliche Routine. Worauf es im Umgang mit der SARS-CoV2-Pandemie in der täglichen Praxis ankommt, ist in der Zahnmedizin inzwischen gut etabliert. Es gibt wissenschaftlich abgesicherte Informationen und Empfehlungen zum Ablauf einer Behandlung von Patientinnen und Patienten und für geeignete Schutzmaßnahmen in der Praxis.

Doch hilfreich und wichtig sind nicht nur die wissenschaftlichen Empfehlungen zum Umgang mit der Pandemie in zahn-




Foto: iStock© FG Trade

Gibt es nützliche Ratschläge und Empfehlungen, welche die Hygieneregeln ergänzen?

ärztlichen Praxen, sondern oft und gerade auch Tipps und Ratschläge von Kolleginnen und Kollegen, die – zumeist zusammen mit ihren Teams – individuell angepasste Maßnahmen in ihren Praxen ausprobiert und etabliert haben.

Um solche Wissens- und Erfahrungsschätze zu heben, ruft die Deutsche Gesellschaft für Implantologie e.V. ihre Mitglieder dazu auf, ihr Knowhow mit Kolle-

ginnen und Kollegen zu teilen. Die Empfehlungen aus der Praxis für die Praxis werden ab der kommenden Ausgabe in der ZZI sowie im Newsletter der DGI veröffentlicht.

Schicken Sie Ihre kurze Beschreibung Ihrer Methode und/oder Maßnahme – am besten zusammen mit einigen Fotos unter dem Stichwort „Mein Corona-Tipp“ per E-Mail an mitgliederservice@dgi-ev.de.